



Typical Profile Workover / P&A Truck



Typical Profile of Road

not to scale



- 1. Remediation will consist of tilling the impacted herbaceous field and mixing remediating agents into soil and grading the area to pre-project conditions.
- 2. Wells identified on the drawings will be P&A'ed using truck-mounted equipment. Any boards and mats used will be pulled up after project completion.
- 3. All equipment and aboveground pipe will be removed from the site.
- 4. Work equipment will remain on roads and within worksites to reach and pull pipe and equipment to minimize wetland impacts. Work sites will be temporary impacts. Impacts include cutting and clearing trees to access pipe and equipment and set up on wells for P&A.
- 5. Any trees and brush cut will be mulched and clippings will be spread on the road or in work areas with a height not to exceed 4 inches.
- 6. Applicant will call LA One Call 48 hours prior to excavation.

±3.23 acres of temporary herbaceous wetlands impacts ±2.684 acres of temporary forested wetlands BLHW impacts ±95 cubic yards of concrete to be crushed on site and buried

BP America, Inc.

Stockstill Property Remediation, Well P&A, Pipeline and Equipment Removal Section 29, 32, & 33, T9S - R9E St. Martin Parish, Louisiana



Created By: GBH Date: 2013/03/13

PAGE 10 OF 10

The contents of these plans are intended exclusively for the purpose of obtaining environmental compliance permits and are not construction drawings.

Quebedeaux, Bobby D MVN

From:

Jamie Phillippe [Jamie.Phillippe@LA.GOV] Tuesday, May 14, 2013 1:36 PM Quebedeaux, Bobby D MVN Sent: To:

Yvonne Harding
WQC# request
document2013-05-14-132218.pdf Cc: Subject:

Attachments:

WQC 130514-01